PIXELLE Wet paper and Damage policy

APRIL 2024



© 2024 Pixelle Specialty Solutions



PIXELLE SPECIALTY SOLUTIONS° WET PAPER AND DAMAGE POLICY

It is the responsibility of the consignee to thoroughly inspect each shipment immediately upon arrival while the driver is still on site. Any damage that is not of a concealed nature must be noted on the carrier's delivery receipt, aka the Bill of Lading (BOL) or Proof of Delivery (POD). The truck driver must acknowledge the wet/ damaged condition by signing the BOL/POD and should contact their trucking company dispatcher immediately. For LTL carriers the driver must get an "exception number" from their dispatcher that needs to be written on the POD/BOL.

A signed packlist is not acceptable, even if the driver signs it, as it is not a legal, binding document.

For wet or damaged delivery by truck or container, the consignee must use the accompanying packlist(s) and mark each affected item on the respective packlist writing either "damaged" or "wet" beside each affected item, depending on the issue. This will ensure that the correct items get reported and properly documented in the claim.

Notes on the BOL/POD stating something like "subject to inspection" are not accepted.

Consignee must take color digital photos showing the damage to the packaging, including the headers for rolls, as well as the damage to the paper itself.

Photos need to clearly show how the wet/damaged condition affects the ability to be able to use the product.

If there is evidence that the condition of the trailer/ container contributed to the wet paper/damage, supporting photos must be provided with the claim (i.e. wet trailer floor, holes in the trailer roof, etc.). Please ensure the camera is set up to display the correct date on the photos as photos showing a date other than the delivery date cannot be used to validate a claim. All transit claims should be filed directly with the carrier, **however as a courtesy to our customers**, PIXELLE can file a claim against the carrier on behalf of our customer. PIXELLE will negotiate the claim with the carrier and issue credit to our customer upon final settlement.

Wet or damaged product MUST be held for carrier disposition even if credit has been issued prior to final settlement of the claim.

Wet or damage that is of a concealed nature and not apparent upon receipt of the product must be reported within 15 days from the date of delivery. Photos must be taken immediately upon discovery and submitted as evidence.

Claims submitted for damage that **should** have been seen at the time of receipt (obvious damage) but not noted on the POD/BOL and reportedly not seen until after the driver left may not be honored.

PIXELLE cannot file claims on behalf of our customers unless we are named as the shipper. We cannot accept claims for collect shipments hauled by a customer appointed carrier.

Claims for product delivered to a customer warehouse and later shipped to another customer who reports damage upon arrival at their facility may not be honored as there is no way to be certain where the damage may have occurred.

If the damage is such that most or some of the product is usable, please follow the instructions for initial reporting and documenting the damage, then slab off damaged portions of rolls, or remove damaged reams from cartons, using what can be used. Report the total loss in weight or inches for rolls, number of reams for sheets, and number of sheets for skid paper.

Labor for slabbing may also be included in the claim but must be reasonable and listed separate from paper losses (i.e., itemized). If the damage is such that none of the product can be used, please follow the instructions above for initial reporting and documenting and **receive in the product**. PIXELLE will work with the carrier to remove the wet/ damaged product.



Our warehouse loaders are required to do thorough inspections on every trailer before they are loaded, and to sweep out every trailer before use. Any trailer that does not pass our inspection will be pulled from service, and the carrier contacted to remove the trailer or repair it on site. Once repaired, the trailer is again inspected to verify the repairs are adequate. Incidents however can occur during transit that can affect the condition of the trailer and therefore the paper.

Our expectation is that our products arrive at your dock in good, usable condition without any issues occurring during transit. Unfortunately, that is not always the case. For that reason, we depend upon our customers to inform us when there are issues that arise during transit. We cannot resolve issues that we are not made aware of, nor can we make informed decisions regarding which carriers best serve the needs of our customers.

OUR REQUIREMENTS

Policy Reference: It is the responsibility of the consignee to thoroughly inspect each shipment immediately upon arrival while the driver is still on site. Any damage that is not of a concealed nature must be noted on the carrier's delivery receipt, aka the Bill of Lading (BOL) or Proof of Delivery (POD). The truck driver must acknowledge the wet/damaged condition by signing the BOL/POD and should contact their trucking company dispatcher **immediately.** For LTL carriers the driver needs to get an "exception number" from their dispatcher which needs to be written on the POD/BOL.

Carriers are becoming stricter on claims, their requirements have changed therefore ours must change as well. What Pixelle is asking of our customers is no different than industry standard requirements.

A signed packlist is not acceptable, even if the driver signs it, as it is not a legal binding document.

Policy Reference: For wet or damaged delivery by truck or container, the consignee must use the accompanying packlist(s) and mark each affected item on the respective packlist writing either "damaged" or "wet" depending on the issue. This will ensure that the correct items get reported and properly documented in the claim.

Using the packlist to mark affected product makes sure the information reported is accurate, the right materials and product id's and weight.

Notes on the BOL/POD stating something like "subject to inspection" are not accepted.

Every item affected must be noted at the time of receipt. Items cannot be added later as the carrier will only pay for what is noted on the BOL/POD at the time of receipt.

Policy Reference: Consignee must take color digital photos showing the damage to the packaging, including the headers for rolls, as well as the damage to the paper itself.

Black and white or scanned photos are not acceptable as the wet paper or damage is not clearly visible showing the extent of the water damage/damage.

Photos need to clearly show how the wet/damaged condition affects the ability to be able to use the product.

When only packaging is affected, carriers will not pay for packaging. Photos must clearly show the damage to the paper itself.



REQUIREMENTS FOR RAILWAY

The best chance for a successful rail claim is to notify the rail carrier on each affected rail car within 24 hours of delivery.

The documentation required will be similar to that of a truck. However, some additional steps are required to notify the rail carrier.

Consignees can provide notice to rail carriers. However, some carriers require an online account. While Pixelle can submit the notice, if the Consignee has the ability to do so, it will help the chances of a successful claim.

If the Consignee provides notice to the Rail Carrier, please submit a copy of that notice confirmation with the other claim materials to Pixelle.

Please note that the notice to Rail Carrier is not a claim to Pixelle; it is only confirmation of an issue. The claim notice, photos, and documents must also be sent to Pixelle to file an official claim.

Documentation should include any paperwork; photos of Car number; rolls, damage, door, dunnage, placement location of material in rail car.

Each rail provider may have a different process.




WET PAPER

Wet Trailer

Policy Reference: If there is evidence that the condition of the trailer/container contributed to the wet paper/ damage, supporting photos must be provided with the claim (i.e. wet trailer floor, holes in the trailer roof, etc.) Please ensure the camera is set up to display the correct date on the photos as photos showing a date other than the delivery date cannot be used to validate a claim.

A photo showing the trailer number will help support the claim. It is hard for the carrier to argue if their trailer number is shown in the photos along with the wet floors or damaged areas.

While some wet trailers are obvious and easy to spot as in the photos below, that isn't always the case.





WET PAPER (cont.)


Wet Trailer (cont.)

Our expectation is that as the receiver is unloading Pixelle products, they are paying attention to the condition of the trailer or container around the product as they are unloading. Other indications of the possibility of wet paper on the load are shown below.

Rust and/or water in corner and along bottom of trailer wall



Less obvious wet spots on the trailer floor





WET PAPER (cont.)

Wet Railcar

Documentation should include any paperwork, photos of Car number, rolls, damage, door, dunnage, and placement location of material in the rail car.





WET PAPER (cont.)

Wet Trailer (cont.)

A quick glance at the trailer roof can also provide obvious signs of potential issues. It is possible that previous repairs were not sufficient but did not create a problem until the weather conditions were right. It is also possible that damage can occur during transit and the driver may make impromptu repairs or none at all.



Check the tops of rolls and floor under patches or damaged areas to make sure water didn't leak through the repairs.





WET PAPER (cont.)

Wet Trailer (cont.)

In many cases, the packaging protects the paper from getting wet. We ask that you note on the BOL/POD the number of rolls (or cartons) that are found to have wet packaging and get the driver's signature. The claim can then be adjusted to reflect only the rolls/cartons where the paper itself is wet. The photo on the left below shows a roll that is wet. The photo on the right is a magnified version of the wet area.



Wet Roll from Railcar





DAMAGED PAPER

The expectations are the same for damaged product. Even the slightest damage must be noted on the BOL or POD. Noting it and getting the driver to sign is not necessarily an admittance of responsibility on the carriers part. It is to acknowledge that the damage was done prior to delivery and the receiver did not cause the damage during unloading. The load should be looked over as much as possible while the paper is still on the trailer. If damage is observed, take photos of the product on the trailer and make the driver aware, note it on the POD and have the driver sign.


Photos taken showing damage while the product is still on the trailer along with photos of the trailer number make it difficult for the carrier to argue the claim if/when they are responsible for the issue.





DAMAGED PAPER (cont.)


Trailer conditions that can cause damage to the product include but are not limited to damaged protruding metal, nails and other debris on the trailer floor, metal corrugated side panels without protective dunnage.





DAMAGED PAPER (cont.)

Once the product is unloaded, look it over thoroughly, to make sure no damage is missed. Most damage to the rolling face of the roll is evident on the wrappers and can be seen even when the rolls are stretch wrapped on a pallet or in a stack stretch wrapped together.





CONCEALED DAMAGE

The only time damage is considered to be "concealed" is if the damage is on the bottom of the roll sitting on the trailer floor or on a pallet where no signs of damage can be seen on the exterior of the roll or if it was underneath the wrappers or header. Photos below show damage to the rolls from nails or debris.





CRUSHED CORES

Not all cores are concealed behind an outer header. It depends on the production path the roll followed. When cores are visible as in the photos below and it is the only roll on the pallet or the stack height is only a couple rolls high the core should be visible to the unloader. A quick glance at the core will tell if the core is crushed. Should it be crushed, the other roll(s) on the pallet should also be checked. If the core is not visible, the shape of the roll or if the roll sits unlevel, can be an indicator to check for crushed cores. Depending upon the length of time the roll has been at the customer location and whether or not it shipped to a customer warehouse before getting to the end user will play a part in determining if a claim will be honored. If the customer reporting the damage core is not the original ship to location, we have no way of knowing how many times the roll was handled prior to shipping to the end user





CARTON/SKID DAMAGE


All four sides of pallets and skids should be walked around to make sure the items are in good, acceptable condition, looking closely at the bottom portion of the pallet/skid for fork damage as well as the top of the pallet/skids to make sure no damage occurred if something were set on top.





CARTON/SKID DAMAGE (cont.)


Photos must include the damage to the paper itself for carton products when the damage isn't obvious. Otherwise the carriers believe the damage is limited to the cardboard carton only and will deny the claim.





RAILCAR DAMAGE

Burst airbags are a sign of Rail mishandling



If airbag is just flat - no holes - Report it as deflated only.

Burst




If airbag has burst - Take a picture of the burst airbag.



RAILCAR DAMAGE (cont.)

Where to Find Crushed Cores in the Railcar

Cores need to be checked with a core checker. You cannot always find a damaged core by visual inspection alone.



24 SPOTS 50" DIAMETER, 2-5 SPOTS & 2-1-2

- If you find crushed cores, continue to move from the endwall to the middle of the car until you find a good one.
- The bottom layer **should** experience the worst damage. You still need to check the top layers.
- A gap at the endwall could have shifted ends from where it originated. Make sure to check both endwalls for crushed cores.



PROPER DOCUMENTATION

Properly documenting wet or damaged paper is critical. Below are examples of the required documentation for truckload deliveries. Writing the issue on the BOL/POD and getting the drivers signature. Marking the wet or damaged items on the packlist ensures the claim is correct.

Truckload Wet Paper Documentation

and Carrier IVED, subject operty describ d, consigned, aning any per- ry at said des	in effect on the ct to the cassifi bed below, in a 6, and destined reserver corpor- vitration, if on 1	 date of shipment, cover cation and the tariffs in apparent good order, ex- as indicated below, whi- ation is possession of the tar node, otherwise to de 	ecting the property name he effect on the date of the iss sept as noted (contents an ich said carrier (the word o he property under the cont diver to another cartier on	ue of the Original Bill of d condition of contents arrier being understood tect) agrees to carry to i the route to said destine	Intervention of the second laboration of the s	SPECIALTY S	OLUTIONS"				Pi		ilty Solutio king List 1 shipping	ns LLC	
ne interested ions of the Ur fications in ef tor shipment	I in all or any of nilorm Domest flect on the dat t, or (2) in the o	I said property, that even ic Straight Bill of Loding in hereof, if this is a rail oplicable motor carrier	ver all or any portion of sais ry service to be performed a set forth (1)in Official, So or a classification or teriff if this terms and conditions of the	hereunder shall be sub shorn, Western and Illin is a motor carrier shipn	loct to all the terms and ois Freight	THIS NUMBER SHOWN ON FREIG FOR PAYMENT T	MUST BE HT INVOICE O BE MADE		Order No RIDGE, C	т	Ship Dat Publisher	•		Order No. \$113729-04	Shipment No. 0874074715
I which pover	ems the transpo verriselves and B : Cer	atation of this shipment	, and the said terms and co	STCC 2621345		oad # 08740)74715 ige 1 of 1	Sold To:	ID: 5322 999999 Stock Cus 228 S. Ma Spring Gro US	tomer in St.	Certification: 17362		Ship To:	Seals:	
8:	Route TRUCKLO	DAD						Sta 14		D	liameter 50	Basis Wt 24.0		KEN-024.0D56- ed D56 White 24 lb	Color: D55 D55 WHIT
	Ship From Send Freight Bill to: Pixelle Chilloothe Pixelle Specialty Solutions						PPE 0 Article #		Shipped:	42,732 LBS	40 Rolls	Delivery (1074863-1		
		AREA 1 SHIP 232 Eighth Str CHILLICOTH			228 South Main Str Attention: Logistics Spring Grove, PA 1	Department		Pack	age in to ber int	Bundle	Not Wgt	Roll Number	Spices	TITA	Lineal Feet
1	RJ Morris		_		oping close, i rei	1002 00		1		2,157	1,079	233M25083A • 233M25084A •			38,450 38,498
	1 Fairfield EAST HA	RTFORD, CT 061	08 US						8	2,169	1,085	233M25083B			38,450
	UOM	Wgt Qty		Product		Customer PO	Freight Class				1,084	233M25083C	• •		38,450
	ROLLS	42,732 40	Printing Papers			BROADRIDGE	55	- 3		2,153	1,077	233M25063D •	. 0		38,450
	mores	50	1 000	K. SIGNO	D_WET	CT RJM	100				1,078	233M25083E	• •		38,450
	1	00	MUST CALL FOR A DE	ELIVERY APPOINTN	AENT 860-289-7546			4	0	2,165	1,083	233M250848*	0		38,498
d Totals: Carrier's liability for lost of damaged freight is for actual loss.							1,082	233M25064C*	• •		38,498				
ts/ Pkgs:	40		T TO VERIFICATION E IGHING BUREAU ACC		unless otherwise agreed Shipper shall provide a d	to in writing by Shipp	er and Carrier.	5	10	2,149	1,075	233M25084D •			38,498
188 42	2,732	AGREEMENT, TH	E ACTUAL GROSS CA	RGO WEIGHT OF	acknowledged by both p	arties as dependant v	akue. The				1,074	233M25064E			38,498
8 10	0	ON THE DATE ES	IGNATED HEREIN, A	DESCRIPTION OF	declared value of proper time of loss or damage.	ly is set specifically by	Shipper at the	6		2,159	1,080	233M25084F			38,498
		THE CARGO COMPRISING THIS SHIPMENT IS SEPORTH ABOVE		Signature of Carrier, no exception if left blank						1,079	233M25084G			38,498	
							7		2,161	1,081	233M25084H			38,498	
					If the shipment moves be	stween two ports by a	carrier by water.				1,080	233M250B4J			38,498
					the law requires that the	bill of lading shall stat	a shathar 2 is	8		2,161	1,081	233M25084K			38,498
		Substitution of rail and/or trailer on flatcar carriage for motor carrier shipments is explicitly prohibited without prior written	"carrier's or shipper's weight." + "The fibre boxes used for this shipment conform to the specifications set forth in the box maker's certificate thereon, and all other requirements of					0.101	1,080	233M25084L			38,498		
		permission of the s	ermission of the shipper.	Uniform Preight Classifications, and all other requirements of stamp, not a part of bill of lading approved by the Interstate		9		2,121	1,061	233M25092A			37,892		
		NET PACK 283M258921 233m258929 RETURDS SENT TO PIXELL Juffing Dray Johns			stamp, not a part of bill o Commerce Commission.	f lading approved by I	he Intenstate)	2.141	1,060	233M250928 •			37,892
		-	7	258920							1,070	233M25082C*			37,892
	1 .	UNT PACE	233M	200721	WET				1	2.121	1,061	233M25092D4			37,892
	· ·		2334	250929	1001						1,060	233M25092E			37,892
			11 BL					1	2	2,115	1,058	233M25092F+	0		17,892 . 1
	5	Decourses	SENT T	O TIXELL	E						1,057	233M25092G	0		37,892 WE
-	- /	in one	Net	ho Dries	h	2		1)	2,117	1,059	233M25092H+	0		37,892
1	2/	/	111	INFAL	Y S. Vowseint	TRUCK	KING				1,058	233M25092J*	• •		37,892
R	C	ma	111		RIMONN	12 11 11	0.11	1-	1	2,113	1,057	233M25092K •	• 0		37,892
PER T	raffic Mana				CARRER OR AGENT O			_			1,058	233M25092L	. 0		37,892
			LL OF DIDING IS TO	OF ORMED BY THE	GARAGER OR AGENT C	# THE CARRIER ISS	UING SAME	1	5	2,135	1,068	233M250938*			37,825
XELLE SP	PECIALTY S	OLUTIONS							_		1,067	233M25099C*			37,825
		195			APPRER NAME			1	3	2,117	1,059	233M25093D	• 0		37,825



PROPER DOCUMENTATION (cont.)

Truckload Documentation for Damaged Items

Puella and Carri RECEIVED, subj the property dest marked, consign destination, if an of all or any of sail and property, the senight Bill of La reliance shipme Shipper herefore	er in effecton actife the case oribed below, act, and dealt son or corpor- its route, oftwa id property on the overy service ding set forth (and, or (2) in the certifies that the the theresports is	the date of sharraw atfocation and the law affocation and the law and an indicated the and an indicated the and an any portion are all or any portion are to be performed i to provide the samplicable motor- my are denilar with- on of this shorem.	e. covering the property dris is effect on the date order, except as normal is low, which said carrier is of the property while it of said nove to deating ensures that the subj m, Waatem and Binols carrier classification or to all the terms and covering the terms and covering.	cos to list of lacks pand any Cal- roame herein, and to intended out of the issues of the Original Bill of La context and control telling understand the used context telling understand at the original destination. It is motual as the original destination. It is motual as the original destination, it is motual to a set the original destination of the original of the original destination of the original telling of the original of laking sectors that of the auto bill allong sectors conditions are hereinly agreed to be	a) Natified powerowi ding. of packages unincewn). Invoyshout this contract as suid piace of delivery at said yagned, as to each centier is interested in all or any of of the Unitere Domestic the date hereof, if this is a st. h in the classification or term.	SPECIALTY SOLUTIONS
Ship Da 2/6/20	24	Carrier - PRIORI TRANSPORTAT Vehicle ID 5361	TY EXPRESS ION SER	STCC 2621345	Freight Terms PREPAID	Page 1 of 1
Seals:	Route	GLOAD	-			
	Ship Fi	Pixelle Area 1 AREA 232 Eig	Chillicothe shipping I SHIPPING hth Street COTHE OH 4560	1 US	Send Freight Bill to Pixelle Specialty So 228 South Main St Attention: Logistics Spring Grove, PA 1	olutions reet Department
Stop 1 of 1	Pixelle c/o Triways 11201 IBERIA ST. SU Mira Loma, CA 91752					
	UON		Qty	Product		Customer PO Freight Clas
	ROLL	s 41,982	130 Printing P	apers		TRI-WAYS 02/06 55
	130 41,952 14	APPLICAB AGREEME CONTAINE THE DATE	NT. THE ACTUAL O R/TRAILER IS CER ESIGNATED HERE	ICATION BY THE EAU ACCORDING TO STORSS CARGO WEIGHT OF TIFIED BY THE SHIPPER O INI A DESCRIPTION OF TH HIPMENT IS SE FORTH	unless otherwise agreed Shipper shall provide a di acknowledged by both pe N value of property is set so	of damaged freight is for actual loss, to in writing by Shipper and Canter, actiand value only where the cate is intere as dependent value. The declared pacifically by Shipper at the time of loss research of light black
		 carrier shipr 	of rail and/or trailer o ents is explicitly pro of the shipper,	on flatcar carriage for motor hibited without prior written	If the shipment moves be the law requires that the b "carrier's or shipper's wei- shipment conform to the maker's certificate thereto Freight Classifications." +	tween two ports by a carrier by water, is of lacing shall state whether it is gift," = "The flore boxes used for this specifications set forth in the box n, and all other requirements of Linform Shipper's imprir is lieu of stamp, not i veed by the intenstate Commerce
t 19	Driver Do S	MAGE Jeet	PHIS BILL OF LADI	NAME: IN: 09 OUT: /019 DATE: 02/1 WO IS TO BE SIGNED BY TH	COL LIG	P Rolls

				Da	cking List			
				re	cking List			
Customer Order TRI-WAYS 0	Ship Dat					der No. 10572-04	Shipment No.	
Carrier: P	ETV F	Publisher;					4418 44	0876647586
Vehicle ID: 53	961 (Certification:					Seals:	
232 EA	LE - CHILLIC IST 8TH STI COTHE, OH	REET			Ship To		Triways BA ST, SUITE A, CA 91752	в
Size	Dis	ameter	8	sis Wt	Grade:	MOCR-024	0D56-	Color: D56
9		40		24.0	Laser MOC	R D55 White 2	6 lb	D56 WHITE
PPE 0	0	rdered:	6,012	LBS				
		hipped:	5,779	LBS	18 Rolls			
Artick	# 222671					T	Delivery #	1080514-4
Package Number	Bundle Wgt	Net Wgt	Re	I Numbe	14.048	1.000		Lineal Feet
1	642	321	F33	.0618TA	0			22,500
		321	F33	.0618TC	0			22,500
2	641	321	F33	.0518TB	. 0			22,500
		320	F33	.0618TD	0			22,500
3	641	321	F33	.0618TF	0			22,500
		320	F330	.0618TZ	0			22,500
4	642	321	F33L	.0618UA	0			22,500
		321	F33L	.0618UC	0			22,500
5	641	321	F33L	.0618VA	0			22,500
		320	F33L	.0618VC	0			22,500
6	641	321	F33L	.0618VB				22,500
		320	F33L	.0618VD	- 01	AMA	GE	22,500
7	643	322	F331	.0618VE	0			22,600
		321	F33	.0618VG	0			22,500
8	649	325	F33	.0520TA	0			22,500
		324	F33	.0520TC	0			22,500
9	639	320	F33L	.1717UF	0			22,500
		319	F33L	1717UZ	0			22,500



PROPER DOCUMENTATION (cont.)

Less Than Truckload Proper (LTL) Documentation

Each LTL carrier has their own version of a POD. Below are examples of POD's that properly documents damages.

Both the customer copy and the driver's copies must have the same notes with driver's signature. The copy the driver scans into their system must mirror what the customer submits.

	-			CNWY		IVERY RECEIPT	PAGE 1 OF 1				0 NUMBER 5-332364
EQUIP NUMBER DATE 317-3832 10/12/2023					ORIGIN XHE				ADVANCE BEYOND		
Pi		Cus	stomer		AREA 1 SHIPPIP 232 E 8TH ST	ALTY SOLUTIONS AG DH US 45601-3354		BILL TO		AF	PT
_		1	RS SN# 861								launa
HM	PCS	DESCRIPTION OF ARTICLES AND REMARKS WEIGHT (LES.) ISKO PRINTING PAPER CLASS 35							RATE	CHARGE	
	1	All							X 02011	05	
	IVED			No NA	DELIVER	ED PIECES	тие 8 17		ATURE	10	10.1.4
FREGHT _ INS			VERY L		0	SIGNATURE PRINT CO		SIGNEE NAME	DA	TE	

Tradeway FA U.S. DOT Nazwali Reg. Re. 394-201 0510215087DF SUPPLY COMM CUSTOMER COPY R2V-1 529-319627- MT P REFERENCE HIS NAMER.] 56 _ DOT STREET DOES NAMER	- GROUND Takingk, Mini Fillehile, co	STATE ADDRESS	PRO, MUMBER	5043434971 Page 1 of	
P D04 [5517631	1.1	09183		12/22/2023	
Pixelle Customer	PIXELLE SPECIALTY SOLUT 232 E 8TH ST 513-503-5795 CHILLICOTHE, OH 45601				
INDTRY INC \$39.00 INV ON (2) SNDS SLC CALL FOR APPT PHONER 717 242 2530 RICY TAMAGEN TIME INC STREET OWNER ATTACTY Y INVE STREET OWNER ATTACTY Y INVE OF DELIVERYY Y INVE OF DELIVERYY Y INVE	5	iver: Rl	damaged ain Ex# 2293		
dig gin	CHIH	CIEDIO	Continued On Councerers	DELAFEY	
		PROB	American	AND A CONTRACT	
POXELLE EDI REV PIXE228 % UBER FREIGHT	UDADER	LONDED	flen	12-29-33 4	
POVELLE EDI REV PIXE228 % UBER FREIGHT 228 S MAIN STREET		LONDED	flen COPY	and the design	
POXELLE EDI REV PIXE228 % UBER FREIGHT	Sign Here	LONDED	flen	12-29-33 4/L	



PROPER DOCUMENTATION (cont.)

Less Than Truckload Proper (LTL) Documentation (cont.)

For carriers that use electronic pads, handwritten notes can be made by the receiver on the pad, OR the receiver can have the driver make notes himself and take a photo of the pad and send in with the claim. Sometimes the carrier will also have hard copy POD's where the notes can be made.

12.53 50 - 10%8	OLD DOMINION FREIGHT LINE, IN P0 BOX 415202, - BOSTON, NA 82241-51 (334) 869-5960 Visit w et WW.00FL	IC. (ODFL)
Delivery Receipt	NOL COH SEE BELOW	SEE BELOW CUSTOMER COPY
Pixelle Customer 05/08/2023	Pixelle Customer	405976 9/19/23 59711192936 101 bi 6 10 10 10 10 10 10 10 10 10 10 10 10 10
OSAD EXCEPTION DAMAGED AND KEPT BY CUSTOMER Ref #: 31713007 DETAILS Count 1 Type: Other Description: 1 CARTON DAMAGED END OSAD EXCEPTION		
BOL #: 0858498408 PO #: 2640204 Units: 1 Pieces: 3 Prepaid/Credit: P Shipper #: 12526695 PixceLLE AREA 1 SHIPPING 232 E 8TH ST CHILLICOTHE, OH 45601	Tr3 Ave Generalgees Cd Bilgeer To MCC1+02 To S000 CS00 (TS0) (S10) T S01003 S01 Company: Data Data	C.O.D.
DR DETAILS handling units: 1 of type skid shipper load & count indv pes: 3 ets		

Railway Documentation for Damaged Items

- Photos of door
- Photos of trailer/car ID
- Photos of rolls in trailer
- Photos of roll label
- Photos of damage on header/wrapper AND white paper
- Signed BOL noting damage
- Proof of notification to rail within 24hrs
- Diagrams of roll placement/damage if applicable



PROPER DOCUMENTATION (cont.)

Less Than Truckload Proper (LTL) Documentation (cont.)

Do not provide the carrier with a value of the affected items. Do not provide a weight for the driver to put on the POD. The receiver may not know the actual value or the weight of the total damage.

What is written on the BOL/POD is what the carrier will honor the claim for. If you are not sure of the exact number of damaged cartons guestimate higher than what is obvious. If 3 is noted and it turns out to be 10, 3 is all they will pay for.

If the driver will not wait while you verify the condition of your load, check over the load as much as possible while it is still on the truck. Only unload one pallet/stack at a time, look over it before unloading the next. Do the same until everything is unloaded.

If the driver refuses to sign the BOL/POD – note the damage or wet paper and write "Driver refused to sign" and we will address that with the carrier.

Filing the Claim

Policy Reference: All transit and damage claims should be filed directly with the carrier, **however as a courtesy to our customers**, PIXELLE can file a claim against the carrier on behalf of our customer. PIXELLE will negotiate the claim with the carrier and issue credit to our customer upon final settlement.

Wet or damaged product MUST be held for carrier disposition for 60 days even if credit has been issued prior to final settlement of the claim.

If the wet/damaged items are disposed of and not held as required, the carrier will not pay the claim. Carriers have a legal right to the salvage when they are responsible for the wet/damaged paper. If credit is issued before the claim is resolved with the carrier and the carrier wants the salvage but the customer disposed of it anyway, a debit memo may be issued and future credits for transit claims held until the carrier pays the claim.

Submit ALL required documents in 1 initial email and send **directly** to:

Shipped from Ohio	Shipped from Spring Grove, PA	Shipped from St. Point, WI
pickingerrorsandshortships@pixelle.com	ProductAssurance@pixelle.com	transitclaims@pixelle.com

Note: You may <u>copy</u> your CSR or Sales Rep but send the claim <u>directly to the respective group defined above</u>. Claims are time sensitive when filing with carriers and/or addressing with our shipping personnel. All issues are to be reported immediately so they can be promptly addressed.



PROPER DOCUMENTATION (cont.)

Filing the Claim to the Railway

The best chance for a successful rail claim is to provide notice to rail carrier on each affected rail car within 24 hours of delivery.

Documentation required will be similar to that of a truck, however, some additional steps are required to provide notice to rail carrier.

Consignee can provide notice to rail carrier, however, some carriers require an online account. While Pixelle can submit the notice, if the Consignee has ability to do so, it will help chances of a successful claim.

If Consignee provides notice to Rail Carrier, please submit a copy of that notice confirmation with the other claim materials to Pixelle.

Please note, the notice to Rail Carrier is not a claim to Pixelle, only confirmation of an issue. The rail claim notice, photos, documents will also need to be sent to Pixelle to file an official claim.

• Documentation should include any paperwork; photos of Car number; rolls showing roll ID, damage, doorway shots, dunnage, placement location of material in rail car. When emailing the carrier, include the railcar number in the subject line of the email.

Each rail provider may have a different process.

Carrier Name	email	website	phone
BNSF	Lars@bnsf.com	www.bnsf.com	800-795-2673
Canadian Pacific	<u>contact_dpfc@cpr.ca</u>	www.cpr.ca	
Norfolk Southern	nslss@nscorp.com	www.nscorp.com	800-742-6313
Canadian National	issys@cn.ca	www.cn.ca	514-399-5487
Kansas City Southern	kcsrfreightclaims@ kcsouthern.com		816-983-1825 (Kansas City) 318-676-6133 (Shreveport) 601-933-4741 (Jackson, MS)
Union Pacific	jlramire@up.com	www.up.com/customers/ index.htm	800-521-6313
CSX	exceptions@csx.com	www.shipcsx.com https://sxlogon.csx.com/#/	800-432-1032 (direct to file claim)

Filing the Claim (cont.)

DO NOT short pay claims. Pixelle MUST have time to investigate and validate all claims. When claims have been properly documented and submitted, credits will be issued once processed. Short paid invoices for claims not properly documented and submitted will result in a debit to the customer.